Estill County Schools Energy Management Package



March 2021










Estill County Schools Energy Management Report March 2021

	March				2020 - 2021 YTD Results					
School Facility	2020 Actual Kwh	2021 Actual Kwh	% Reduction	Position	\$ Cost Change	2019-2020 Actual Kwh	2020-2021 Actual Kwh	% Reduction	Overall Position	YTD \$ Cost Change
ECHS	79,659	81,746	-2.62%	4	\$219	1,007,377	808,698	19.7%	1	-\$20,207
ECMS	62,960	62,960	0.00%	3	\$0	674,800	593,040	12.1%	4	-\$8,316
West Irvine	55,200	52,320	5.22%	1	-\$302	553,760	447,920	19.1%	2	-\$10,765
Estill Springs	25,548	27,436	-7.39%	6	\$198	229,477	203,695	11.2%	5	-\$2,622
South Irvine P/K	24,248	25,410	-4.79%	5	\$122	237,243	243,891	-2.8%	7	\$676
Central Office	41,140	55,541	-35.00%	7	\$1,509	264,479	263,864	0.2%	6	-\$63
Transportation Center	0	6,400	-6399999999900%	8	\$671	0	31,140	-34599999999900.0%	8	\$3,167
Adult Education	540	515	4.63%	2	-\$3	5,106	4,133	19.1%	3	-\$99
Area Technology Center	0	6,672	-6671999999900.00%	9	\$699	0	32,817	-36463333333233.3%	9	\$3,338
Total	289,295	319,000	-10.27%		\$3,112	2,972,242	2,629,198	11.5%		-\$34,890















Project Description	Refunds/Rebates Received	Avoided Costs	Total Avoided Costs		
Rate Change Savings Prior Years		\$9,600	\$9,600		
Rate Change Savings Current Year		\$4,522	\$4,522		
Consumption Savings Prior Years		\$678,614	\$678,614		
Consumption Savings Current Year		\$202,531	\$202,531		
Energy Projects Prior Years	\$25,152		\$25,152		
Energy Projects Current Year			\$0		
Total	\$25,152	\$895,267	\$920,419		
Total Cost Avoided This Month		\$25,799			
Total Cumulative Savings	\$1,050,701				







Energy Star Portfolio Manager Ratings


Facility Name	Rating (1-100)	Rating (1-100)	Energy Use kbtu/sq ft	Energy Use kbtu/sq ft	Change From
	Mar-21	June-15	Mar-21	June-15	Baseline
Estill County High School	89	60	32.7	47.5	-31.2%
Estill County Middle School	87	57	25.6	39.0	-34.4%
West Irvine Elementary	91	61	25.5	39.5	-35.4%
Estill Springs Elementary	97	36	18.7	56.9	-67.1%
South Irvine P/K Center	69	22	49.3	83.5	-41.0%
Total	88	53	28.8	47.7	-39.6%







Energy Star Portfolio Manager Ratings










EUI (kbtu/sq.ft/)



■ Feb-21 ■ June-15







